


| Jedno polje |                        | NOSIVOST KROVNOG (NEGATIVNI POLOZAJ) TR85 (kg/m <sup>2</sup> ) |                     |          |        |        |        |        |        |        |        |
|-------------|------------------------|----------------------------------------------------------------|---------------------|----------|--------|--------|--------|--------|--------|--------|--------|
| Raspon (m)  |                        |                                                                | 2,00                | 2,50     | 3,00   | 3,50   | 4,00   | 4,50   | 5,00   | 5,50   | 6,00   |
| t (mm)      | g (kg/m <sup>2</sup> ) | Ugib                                                           | Širina oslonca 90mm |          |        |        |        |        |        |        |        |
| 0,70        | 7,62                   | M max                                                          | 589,12              | 374,73   | 258,28 | 188,06 | 142,48 | 111,23 | 88,88  | 72,35  | 59,77  |
|             |                        | L/150                                                          | 1.205,75            | 613,87   | 352,26 | 219,20 | 144,50 | 99,37  | 70,51  | 51,21  | 37,81  |
|             |                        | L/200                                                          | 902,53              | 458,63   | 262,42 | 162,62 | 106,60 | 72,75  | 51,11  | 36,63  | 26,58  |
|             |                        | L/300                                                          | 599,32              | 303,38   | 172,57 | 106,04 | 68,70  | 46,13  | 31,70  | 22,05  | 15,35  |
|             |                        | L/400                                                          | 447,71              | 225,76   | 127,65 | 77,76  | 49,74  | 32,82  | 22,00  | 14,76  | 9,74   |
|             |                        | L/500                                                          | 356,75              | 179,19   | 100,70 | 60,78  | 38,37  | 24,83  | 16,18  | 10,39  | 6,37   |
| 0,75        | 8,33                   | M max                                                          | 646,80              | 411,49   | 283,66 | 206,59 | 156,56 | 122,27 | 97,73  | 79,58  | 65,78  |
|             |                        | L/150                                                          | 1.289,72            | 656,62   | 376,78 | 234,46 | 154,56 | 106,28 | 75,42  | 54,77  | 40,44  |
|             |                        | L/200                                                          | 965,39              | 490,56   | 280,68 | 173,94 | 114,01 | 77,81  | 54,66  | 39,17  | 28,43  |
|             |                        | L/300                                                          | 641,06              | 324,51   | 184,59 | 113,42 | 73,47  | 49,34  | 33,90  | 23,58  | 16,41  |
|             |                        | L/400                                                          | 478,89              | 241,48   | 136,54 | 83,16  | 53,20  | 35,10  | 23,52  | 15,78  | 10,41  |
|             |                        | L/500                                                          | 381,59              | 191,66   | 107,71 | 65,01  | 41,04  | 26,56  | 17,30  | 11,10  | 6,80   |
| 0,88        | 9,58                   | M max                                                          | 806,22              | 513,09   | 353,86 | 257,85 | 195,54 | 152,81 | 122,25 | 99,64  | 82,45  |
|             |                        | L/150                                                          | 1.506,72            | 767,09   | 440,16 | 273,88 | 180,54 | 124,14 | 88,08  | 63,96  | 47,22  |
|             |                        | L/200                                                          | 1.127,81            | 573,09   | 327,89 | 203,18 | 133,17 | 90,88  | 63,83  | 45,74  | 33,18  |
|             |                        | L/300                                                          | 748,90              | 379,09   | 215,62 | 132,48 | 85,81  | 57,61  | 39,58  | 27,52  | 19,15  |
|             |                        | L/400                                                          | 559,45              | 282,09   | 159,49 | 97,13  | 62,13  | 40,98  | 27,46  | 18,41  | 12,13  |
|             |                        | L/500                                                          | 445,77              | 223,89   | 125,81 | 75,92  | 47,92  | 31,00  | 20,18  | 12,95  | 7,92   |
| 1,00        | 10,89                  | M max                                                          | 965,31              | 614,52   | 423,97 | 309,07 | 234,50 | 183,37 | 146,80 | 119,74 | 99,16  |
|             |                        | L/150                                                          | 1.705,33            | 868,19   | 498,16 | 309,97 | 204,31 | 140,48 | 99,67  | 72,37  | 53,42  |
|             |                        | L/200                                                          | 1.276,47            | 648,61   | 371,09 | 229,94 | 150,71 | 102,83 | 72,22  | 51,75  | 37,53  |
|             |                        | L/300                                                          | 847,60              | 429,04   | 244,02 | 149,92 | 97,10  | 65,18  | 44,78  | 31,12  | 21,65  |
|             |                        | L/400                                                          | 633,17              | 319,25   | 180,49 | 109,91 | 70,29  | 46,36  | 31,05  | 20,81  | 13,71  |
|             |                        | L/500                                                          | 504,52              | 253,37   | 142,37 | 85,91  | 54,21  | 35,06  | 22,82  | 14,63  | 8,94   |
| 1,20        | 13,07                  | M max                                                          | 1.255,51            | 799,61   | 551,95 | 402,62 | 305,70 | 239,26 | 191,73 | 156,56 | 129,81 |
|             |                        | L/150                                                          | 2.032,72            | 1.034,84 | 593,76 | 369,43 | 243,49 | 167,41 | 118,76 | 86,21  | 63,62  |
|             |                        | L/200                                                          | 1.521,51            | 773,10   | 442,29 | 274,04 | 179,59 | 122,53 | 86,04  | 61,63  | 44,69  |
|             |                        | L/300                                                          | 1.010,30            | 511,36   | 290,83 | 178,66 | 115,69 | 77,65  | 53,32  | 37,05  | 25,76  |
|             |                        | L/400                                                          | 754,70              | 380,49   | 215,09 | 130,97 | 83,74  | 55,21  | 36,96  | 24,76  | 16,29  |
|             |                        | L/500                                                          | 601,34              | 301,97   | 169,65 | 102,35 | 64,57  | 41,74  | 27,15  | 17,39  | 10,61  |
| 1,25        | 13,61                  | M max                                                          | 1.255,51            | 799,61   | 551,95 | 402,62 | 305,70 | 239,26 | 191,73 | 156,56 | 129,81 |
|             |                        | L/150                                                          | 2.032,72            | 1.034,84 | 593,76 | 369,43 | 243,49 | 167,41 | 118,76 | 86,21  | 63,62  |
|             |                        | L/200                                                          | 1.521,51            | 773,10   | 442,29 | 274,04 | 179,59 | 122,53 | 86,04  | 61,63  | 44,69  |
|             |                        | L/300                                                          | 1.010,30            | 511,36   | 290,83 | 178,66 | 115,69 | 77,65  | 53,32  | 37,05  | 25,76  |
|             |                        | L/400                                                          | 754,70              | 380,49   | 215,09 | 130,97 | 83,74  | 55,21  | 36,96  | 24,76  | 16,29  |
|             |                        | L/500                                                          | 601,34              | 301,97   | 169,65 | 102,35 | 64,57  | 41,74  | 27,15  | 17,39  | 10,61  |
| 1,50        | 16,33                  | M max                                                          | 1.399,49            | 890,79   | 614,45 | 447,83 | 339,69 | 265,55 | 212,52 | 173,28 | 143,43 |
|             |                        | L/150                                                          | 2.515,36            | 1.280,50 | 734,68 | 457,07 | 301,22 | 207,07 | 146,86 | 106,59 | 78,64  |
|             |                        | L/200                                                          | 1.882,75            | 956,61   | 547,24 | 339,03 | 222,15 | 151,53 | 106,38 | 76,17  | 55,21  |
|             |                        | L/300                                                          | 1.250,14            | 632,71   | 359,80 | 220,99 | 143,07 | 95,99  | 65,89  | 45,75  | 31,78  |
|             |                        | L/400                                                          | 933,83              | 470,76   | 266,08 | 161,97 | 103,53 | 68,22  | 45,65  | 30,54  | 20,06  |
|             |                        | L/500                                                          | 744,05              | 373,59   | 209,84 | 126,56 | 79,81  | 51,56  | 33,50  | 21,42  | 13,03  |

L/200 - PODRAZUMEVANI UGIB



| Dva polja  |           |       | NOSIVOST KROVNOG (NEGATIVNI POLOZAJ) TR85 (kg/m2) |          |          |          |        |        |        |        |        |
|------------|-----------|-------|---------------------------------------------------|----------|----------|----------|--------|--------|--------|--------|--------|
| Raspon (m) |           |       | 2,00                                              | 2,50     | 3,00     | 3,50     | 4,00   | 4,50   | 5,00   | 5,50   | 6,00   |
| t (mm)     | g (kg/m2) | Ugib  | Širina oslonca 90mm                               |          |          |          |        |        |        |        |        |
| 0,70       | 7,62      | M max | 961,55                                            | 613,09   | 423,80   | 309,67   | 235,59 | 184,80 | 148,47 | 121,60 | 101,15 |
|            |           | L/150 | 2.917,41                                          | 1.490,25 | 859,42   | 538,57   | 358,46 | 249,64 | 180,06 | 133,51 | 101,21 |
|            |           | L/200 | 2.186,28                                          | 1.115,91 | 642,79   | 402,15   | 267,07 | 185,45 | 133,27 | 98,36  | 74,13  |
|            |           | L/300 | 1.455,15                                          | 741,57   | 426,15   | 265,73   | 175,67 | 121,27 | 86,48  | 63,20  | 47,05  |
|            |           | L/400 | 1.089,59                                          | 554,40   | 317,84   | 197,52   | 129,98 | 89,17  | 63,08  | 45,63  | 33,51  |
|            |           | L/500 | 870,25                                            | 442,10   | 252,85   | 156,60   | 102,56 | 69,92  | 49,04  | 35,08  | 25,39  |
| 0,75       | 8,33      | M max | 1.089,69                                          | 694,94   | 480,50   | 351,20   | 267,28 | 209,75 | 168,60 | 138,15 | 114,99 |
|            |           | L/150 | 3.120,61                                          | 1.594,04 | 919,27   | 576,08   | 383,42 | 267,02 | 192,59 | 142,81 | 108,25 |
|            |           | L/200 | 2.338,55                                          | 1.193,62 | 687,55   | 430,16   | 285,66 | 198,36 | 142,54 | 105,20 | 79,28  |
|            |           | L/300 | 1.556,50                                          | 793,21   | 455,83   | 284,23   | 187,90 | 129,70 | 92,49  | 67,60  | 50,32  |
|            |           | L/400 | 1.165,47                                          | 593,01   | 339,97   | 211,27   | 139,02 | 95,37  | 67,47  | 48,79  | 35,84  |
|            |           | L/500 | 930,85                                            | 472,88   | 270,45   | 167,50   | 109,70 | 74,78  | 52,45  | 37,51  | 27,15  |
| 0,88       | 9,58      | M max | 1.376,52                                          | 878,09   | 607,33   | 444,07   | 338,11 | 265,47 | 213,50 | 175,06 | 145,81 |
|            |           | L/150 | 3.645,69                                          | 1.862,24 | 1.073,93 | 672,99   | 447,91 | 311,93 | 224,98 | 166,81 | 126,44 |
|            |           | L/200 | 2.732,04                                          | 1.394,45 | 803,22   | 502,52   | 333,70 | 231,72 | 166,50 | 122,88 | 92,60  |
|            |           | L/300 | 1.818,39                                          | 926,66   | 532,51   | 332,04   | 219,50 | 151,50 | 108,03 | 78,95  | 58,76  |
|            |           | L/400 | 1.361,56                                          | 692,77   | 397,15   | 246,80   | 162,39 | 111,40 | 78,79  | 56,98  | 41,84  |
|            |           | L/500 | 1.087,47                                          | 552,43   | 315,94   | 195,66   | 128,13 | 87,34  | 61,25  | 43,80  | 31,69  |
| 1,00       | 10,89     | M max | 1.652,82                                          | 1.054,53 | 729,53   | 533,56   | 406,38 | 319,18 | 256,80 | 210,65 | 175,55 |
|            |           | L/150 | 4.126,27                                          | 2.107,72 | 1.215,48 | 761,69   | 506,93 | 353,02 | 254,61 | 188,78 | 143,08 |
|            |           | L/200 | 3.092,18                                          | 1.578,26 | 909,08   | 568,74   | 377,67 | 262,24 | 188,43 | 139,05 | 104,78 |
|            |           | L/300 | 2.058,08                                          | 1.048,80 | 602,68   | 375,78   | 248,41 | 171,45 | 122,25 | 89,33  | 66,48  |
|            |           | L/400 | 1.541,03                                          | 784,07   | 449,48   | 279,31   | 183,78 | 126,06 | 89,16  | 64,47  | 47,33  |
|            |           | L/500 | 1.230,80                                          | 625,23   | 357,56   | 221,42   | 145,00 | 98,82  | 69,30  | 49,55  | 35,84  |
| 1,20       | 13,07     | M max | 2.023,77                                          | 1.291,29 | 893,40   | 653,48   | 497,77 | 391,01 | 314,65 | 258,15 | 215,17 |
|            |           | L/150 | 4.918,51                                          | 2.512,37 | 1.448,81 | 907,89   | 604,22 | 420,75 | 303,45 | 224,97 | 170,50 |
|            |           | L/200 | 3.685,85                                          | 1.881,25 | 1.083,58 | 677,89   | 450,13 | 312,54 | 224,56 | 165,70 | 124,85 |
|            |           | L/300 | 2.453,20                                          | 1.250,13 | 718,35   | 447,89   | 296,05 | 204,32 | 145,67 | 106,43 | 79,20  |
|            |           | L/400 | 1.836,87                                          | 934,57   | 535,73   | 332,89   | 219,01 | 150,21 | 106,22 | 76,79  | 56,37  |
|            |           | L/500 | 1.467,07                                          | 745,23   | 426,17   | 263,89   | 172,79 | 117,75 | 82,56  | 59,01  | 42,67  |
| 1,25       | 13,61     | M max | 2.106,56                                          | 1.344,11 | 929,94   | 680,21   | 518,13 | 407,00 | 327,52 | 268,71 | 223,98 |
|            |           | L/150 | 5.114,87                                          | 2.612,66 | 1.506,64 | 944,12   | 628,33 | 437,54 | 315,55 | 233,94 | 177,30 |
|            |           | L/200 | 3.833,00                                          | 1.956,34 | 1.126,83 | 704,94   | 468,09 | 325,00 | 233,51 | 172,30 | 129,82 |
|            |           | L/300 | 2.551,13                                          | 1.300,02 | 747,02   | 465,76   | 307,86 | 212,47 | 151,47 | 110,67 | 82,34  |
|            |           | L/400 | 1.910,19                                          | 971,87   | 557,11   | 346,17   | 227,74 | 156,20 | 110,45 | 79,85  | 58,61  |
|            |           | L/500 | 1.525,63                                          | 774,97   | 443,17   | 274,41   | 179,67 | 122,44 | 85,84  | 61,36  | 44,36  |
| 1,50       | 16,33     | M max | 2.498,99                                          | 1.594,47 | 1.103,12 | 806,85   | 614,57 | 482,73 | 388,43 | 318,66 | 265,60 |
|            |           | L/150 | 6.086,49                                          | 3.108,92 | 1792,79  | 1.123,40 | 747,61 | 520,58 | 375,42 | 278,31 | 210,90 |
|            |           | L/200 | 4.561,10                                          | 2.327,92 | 1.340,82 | 838,78   | 556,94 | 386,67 | 277,79 | 204,96 | 154,40 |
|            |           | L/300 | 3.035,70                                          | 1.546,92 | 888,85   | 554,16   | 366,26 | 252,75 | 180,17 | 131,61 | 97,91  |
|            |           | L/400 | 2.273,01                                          | 1.156,42 | 662,87   | 411,85   | 270,93 | 185,79 | 131,35 | 94,94  | 69,66  |
|            |           | L/500 | 1.815,39                                          | 922,12   | 527,28   | 326,46   | 213,73 | 145,62 | 102,07 | 72,93  | 52,71  |

L/200 - PODRAZUMEVANI UGIB



| Tri polja  |           |       | NOSIVOST KROVNOG (NEGATIVNI POLOZAJ) <b>TR85</b> (kg/m2) |          |          |        |        |        |        |        |        |
|------------|-----------|-------|----------------------------------------------------------|----------|----------|--------|--------|--------|--------|--------|--------|
| Raspon (m) |           |       | 2,00                                                     | 2,50     | 3,00     | 3,50   | 4,00   | 4,50   | 5,00   | 5,50   | 6,00   |
| t (mm)     | g (kg/m2) | Ugib  | Širina oslonca 90mm                                      |          |          |        |        |        |        |        |        |
| 0,70       | 7,62      | M max | 924,09                                                   | 589,12   | 407,15   | 297,44 | 226,23 | 177,40 | 142,48 | 116,64 | 96,99  |
|            |           | L/150 | 2.315,31                                                 | 1.181,97 | 681,01   | 426,23 | 283,19 | 196,78 | 141,53 | 104,56 | 78,91  |
|            |           | L/200 | 1.734,70                                                 | 884,70   | 508,98   | 317,89 | 210,62 | 145,81 | 104,37 | 76,64  | 57,40  |
|            |           | L/300 | 1.154,10                                                 | 587,43   | 336,95   | 209,56 | 138,04 | 94,84  | 67,21  | 48,73  | 35,90  |
|            |           | L/400 | 863,80                                                   | 438,80   | 250,94   | 155,39 | 101,75 | 69,35  | 48,63  | 34,77  | 25,15  |
|            |           | L/500 | 689,62                                                   | 349,61   | 199,33   | 122,89 | 79,98  | 54,06  | 37,48  | 26,39  | 18,70  |
| 0,75       | 8,33      | M max | 1.014,49                                                 | 646,80   | 447,08   | 326,65 | 248,48 | 194,89 | 156,56 | 128,20 | 106,63 |
|            |           | L/150 | 2.476,56                                                 | 1.264,29 | 728,44   | 455,91 | 302,91 | 210,48 | 151,38 | 111,84 | 84,39  |
|            |           | L/200 | 1.855,52                                                 | 946,31   | 544,43   | 340,03 | 225,28 | 155,96 | 111,63 | 81,98  | 61,39  |
|            |           | L/300 | 1.234,48                                                 | 628,34   | 360,41   | 224,15 | 147,65 | 101,43 | 71,88  | 52,11  | 38,39  |
|            |           | L/400 | 923,95                                                   | 469,35   | 268,41   | 166,21 | 108,83 | 74,17  | 52,01  | 37,18  | 26,89  |
|            |           | L/500 | 737,64                                                   | 373,96   | 213,20   | 131,44 | 85,54  | 57,82  | 40,08  | 28,22  | 19,99  |
| 0,88       | 9,58      | M max | 1.264,23                                                 | 806,22   | 557,42   | 407,40 | 310,04 | 243,28 | 195,54 | 160,21 | 133,34 |
|            |           | L/150 | 2.893,27                                                 | 1.477,00 | 850,99   | 532,60 | 353,86 | 245,87 | 176,82 | 130,63 | 98,57  |
|            |           | L/200 | 2.167,73                                                 | 1.105,52 | 636,01   | 397,22 | 263,16 | 182,17 | 130,39 | 95,75  | 71,70  |
|            |           | L/300 | 1.442,18                                                 | 734,04   | 421,04   | 261,84 | 172,47 | 118,48 | 83,95  | 60,86  | 44,83  |
|            |           | L/400 | 1.079,40                                                 | 548,30   | 313,55   | 194,15 | 127,12 | 86,63  | 60,74  | 43,41  | 31,39  |
|            |           | L/500 | 861,74                                                   | 436,86   | 249,06   | 153,54 | 99,92  | 67,52  | 46,81  | 32,95  | 23,33  |
| 1,00       | 10,89     | M max | 1.513,42                                                 | 965,31   | 667,57   | 488,05 | 371,53 | 291,64 | 234,50 | 192,22 | 160,06 |
|            |           | L/150 | 3.274,66                                                 | 1.671,69 | 963,15   | 602,79 | 400,48 | 278,26 | 200,11 | 147,83 | 111,54 |
|            |           | L/200 | 2.453,47                                                 | 1.251,24 | 719,83   | 449,56 | 297,83 | 206,16 | 147,55 | 108,34 | 81,13  |
|            |           | L/300 | 1.632,27                                                 | 830,79   | 476,52   | 296,33 | 195,18 | 134,07 | 95,00  | 68,86  | 50,71  |
|            |           | L/400 | 1.221,68                                                 | 620,56   | 354,86   | 219,72 | 143,86 | 98,02  | 68,72  | 49,11  | 35,50  |
|            |           | L/500 | 975,32                                                   | 494,42   | 281,86   | 173,75 | 113,06 | 76,39  | 52,95  | 37,27  | 26,38  |
| 1,20       | 13,07     | M max | 1.967,87                                                 | 1.255,51 | 868,55   | 635,23 | 483,79 | 379,97 | 305,70 | 250,76 | 208,96 |
|            |           | L/150 | 3.903,38                                                 | 1.992,62 | 1.148,03 | 718,48 | 477,32 | 331,64 | 238,48 | 176,16 | 132,91 |
|            |           | L/200 | 2.924,51                                                 | 1.491,44 | 858,00   | 535,83 | 354,97 | 245,70 | 175,83 | 129,09 | 96,65  |
|            |           | L/300 | 1.945,63                                                 | 990,25   | 567,96   | 353,18 | 232,61 | 159,76 | 113,18 | 82,02  | 60,40  |
|            |           | L/400 | 1.456,20                                                 | 739,66   | 422,94   | 261,86 | 171,43 | 116,79 | 81,86  | 58,49  | 42,27  |
|            |           | L/500 | 1.162,54                                                 | 589,31   | 335,93   | 207,06 | 134,72 | 91,01  | 63,07  | 44,37  | 31,39  |
| 1,25       | 13,61     | M max | 2.089,02                                                 | 1.332,89 | 922,15   | 674,49 | 513,74 | 403,54 | 324,71 | 266,39 | 222,03 |
|            |           | L/150 | 4.059,21                                                 | 2.072,16 | 1.193,86 | 747,15 | 496,37 | 344,86 | 247,99 | 183,18 | 138,20 |
|            |           | L/200 | 3.041,25                                                 | 1.550,97 | 892,24   | 557,21 | 369,12 | 255,49 | 182,84 | 134,23 | 100,50 |
|            |           | L/300 | 2.023,30                                                 | 1.029,78 | 590,62   | 367,27 | 241,88 | 166,13 | 117,69 | 85,29  | 62,80  |
|            |           | L/400 | 1.514,32                                                 | 769,18   | 439,82   | 272,30 | 178,26 | 121,44 | 85,11  | 60,81  | 43,94  |
|            |           | L/500 | 1.208,94                                                 | 612,82   | 349,33   | 215,32 | 140,08 | 94,63  | 65,57  | 46,13  | 32,63  |
| 1,50       | 16,33     | M max | 2.194,34                                                 | 1.399,49 | 967,72   | 707,38 | 538,40 | 422,56 | 339,69 | 278,38 | 231,75 |
|            |           | L/150 | 4.830,29                                                 | 2.465,75 | 1420,58  | 889,01 | 590,59 | 410,30 | 295,02 | 217,90 | 164,37 |
|            |           | L/200 | 3.618,94                                                 | 1.845,54 | 1.061,66 | 662,99 | 439,17 | 303,95 | 217,49 | 159,66 | 119,51 |
|            |           | L/300 | 2.407,60                                                 | 1.225,33 | 702,75   | 436,96 | 287,75 | 197,61 | 139,97 | 101,41 | 74,65  |
|            |           | L/400 | 1.801,93                                                 | 915,23   | 523,29   | 323,95 | 212,04 | 144,43 | 101,20 | 72,29  | 52,21  |
|            |           | L/500 | 1.438,53                                                 | 729,16   | 415,62   | 256,14 | 166,62 | 112,53 | 77,95  | 54,81  | 38,75  |

**L/200 - PODRAZUMEVANI UGIB**



| Četiri polja |           |       | NOSIVOST KROVNOG (NEGATIVNI POLOZAJ) <b>TR85</b> (kg/m2) |          |          |        |        |        |        |        |        |
|--------------|-----------|-------|----------------------------------------------------------|----------|----------|--------|--------|--------|--------|--------|--------|
| Raspon (m)   |           |       | 2,00                                                     | 2,50     | 3,00     | 3,50   | 4,00   | 4,50   | 5,00   | 5,50   | 6,00   |
| t (mm)       | g (kg/m2) | Ugib  | Širina oslonca 90mm                                      |          |          |        |        |        |        |        |        |
| 0,70         | 7,62      | M max | 957,84                                                   | 610,72   | 422,15   | 308,46 | 234,66 | 184,07 | 147,88 | 121,11 | 100,74 |
|              |           | L/150 | 2.422,49                                                 | 1.236,85 | 712,77   | 446,23 | 296,59 | 206,19 | 148,39 | 109,72 | 82,88  |
|              |           | L/200 | 1.815,09                                                 | 925,86   | 532,80   | 332,89 | 220,67 | 152,87 | 109,51 | 80,51  | 60,38  |
|              |           | L/300 | 1.207,69                                                 | 614,87   | 352,83   | 219,56 | 144,74 | 99,54  | 70,64  | 51,30  | 37,88  |
|              |           | L/400 | 903,99                                                   | 459,38   | 262,85   | 162,89 | 106,78 | 72,88  | 51,20  | 36,70  | 26,64  |
|              |           | L/500 | 721,77                                                   | 366,08   | 208,86   | 128,89 | 84,00  | 56,88  | 39,54  | 27,94  | 19,89  |
| 0,75         | 8,33      | M max | 1.051,53                                                 | 670,51   | 463,54   | 338,74 | 257,74 | 202,21 | 162,49 | 133,10 | 110,75 |
|              |           | L/150 | 2.591,22                                                 | 1.322,99 | 762,41   | 477,30 | 317,24 | 220,54 | 158,71 | 117,35 | 88,64  |
|              |           | L/200 | 1.941,51                                                 | 990,34   | 569,91   | 356,07 | 236,03 | 163,50 | 117,13 | 86,11  | 64,58  |
|              |           | L/300 | 1.291,80                                                 | 657,69   | 377,40   | 234,84 | 154,82 | 106,47 | 75,55  | 54,87  | 40,51  |
|              |           | L/400 | 966,95                                                   | 491,36   | 281,15   | 174,23 | 114,21 | 77,95  | 54,76  | 39,25  | 28,48  |
|              |           | L/500 | 772,04                                                   | 391,57   | 223,40   | 137,86 | 89,84  | 60,83  | 42,29  | 29,88  | 21,26  |
| 0,88         | 9,58      | M max | 1.310,37                                                 | 835,75   | 577,93   | 422,47 | 321,57 | 252,40 | 202,92 | 166,31 | 138,46 |
|              |           | L/150 | 3.027,22                                                 | 1.545,59 | 890,68   | 557,59 | 370,60 | 257,63 | 185,40 | 137,07 | 103,53 |
|              |           | L/200 | 2.268,19                                                 | 1.156,96 | 665,78   | 415,97 | 275,72 | 190,99 | 136,82 | 100,58 | 75,42  |
|              |           | L/300 | 1.509,15                                                 | 768,33   | 440,88   | 274,34 | 180,84 | 124,36 | 88,24  | 64,08  | 47,31  |
|              |           | L/400 | 1.129,63                                                 | 574,02   | 328,43   | 203,52 | 133,40 | 91,04  | 63,95  | 45,83  | 33,25  |
|              |           | L/500 | 901,92                                                   | 457,43   | 260,96   | 161,04 | 104,94 | 71,05  | 49,38  | 34,88  | 24,82  |
| 1,00         | 10,89     | M max | 1.568,64                                                 | 1.000,65 | 692,12   | 506,08 | 385,33 | 302,55 | 243,33 | 199,52 | 166,20 |
|              |           | L/150 | 3.426,27                                                 | 1.749,31 | 1.008,07 | 631,07 | 419,43 | 291,57 | 209,81 | 155,12 | 117,16 |
|              |           | L/200 | 2.567,17                                                 | 1.309,46 | 753,52   | 470,78 | 312,04 | 216,15 | 154,83 | 113,81 | 85,34  |
|              |           | L/300 | 1.708,08                                                 | 869,60   | 498,98   | 310,48 | 204,66 | 140,72 | 99,85  | 72,50  | 53,52  |
|              |           | L/400 | 1.278,53                                                 | 649,67   | 371,70   | 230,33 | 150,96 | 103,01 | 72,36  | 51,85  | 37,61  |
|              |           | L/500 | 1.020,80                                                 | 517,71   | 295,34   | 182,24 | 118,75 | 80,39  | 55,86  | 39,45  | 28,06  |
| 1,20         | 13,07     | M max | 2.039,64                                                 | 1.301,45 | 900,45   | 658,66 | 501,74 | 394,14 | 317,19 | 260,25 | 216,94 |
|              |           | L/150 | 4.084,10                                                 | 2.085,15 | 1.201,58 | 752,20 | 499,91 | 347,50 | 250,05 | 184,85 | 139,60 |
|              |           | L/200 | 3.060,04                                                 | 1.560,83 | 898,16   | 561,12 | 371,91 | 257,60 | 184,51 | 135,61 | 101,67 |
|              |           | L/300 | 2.035,99                                                 | 1.036,52 | 594,73   | 370,04 | 243,90 | 167,69 | 118,97 | 86,37  | 63,74  |
|              |           | L/400 | 1.523,97                                                 | 774,36   | 443,02   | 274,50 | 179,90 | 122,74 | 86,20  | 61,75  | 44,78  |
|              |           | L/500 | 1.216,75                                                 | 617,07   | 352,00   | 217,18 | 141,50 | 95,77  | 66,54  | 46,98  | 33,40  |
| 1,25         | 13,61     | M max | 2.165,20                                                 | 1.381,64 | 956,01   | 699,36 | 532,79 | 418,59 | 336,90 | 276,46 | 230,49 |
|              |           | L/150 | 4.247,14                                                 | 2.168,38 | 1.249,54 | 782,21 | 519,86 | 361,36 | 260,02 | 192,22 | 145,16 |
|              |           | L/200 | 3.182,20                                                 | 1.623,13 | 934,00   | 583,51 | 386,74 | 267,87 | 191,86 | 141,01 | 105,72 |
|              |           | L/300 | 2.117,27                                                 | 1.077,89 | 618,47   | 384,80 | 253,63 | 174,38 | 123,70 | 89,80  | 66,28  |
|              |           | L/400 | 1.584,80                                                 | 805,26   | 460,70   | 285,45 | 187,07 | 127,63 | 89,63  | 64,20  | 46,55  |
|              |           | L/500 | 1.265,32                                                 | 641,69   | 366,04   | 225,84 | 147,13 | 99,58  | 69,18  | 48,84  | 34,72  |
| 1,50         | 16,33     | M max | 2.274,42                                                 | 1.450,74 | 1.003,31 | 733,53 | 558,42 | 438,37 | 352,50 | 288,97 | 240,65 |
|              |           | L/150 | 5.053,92                                                 | 2.580,25 | 1.486,84 | 930,74 | 618,54 | 429,93 | 309,33 | 228,65 | 172,66 |
|              |           | L/200 | 3.786,67                                                 | 1.931,41 | 1.111,36 | 694,28 | 460,14 | 318,68 | 228,23 | 167,72 | 125,72 |
|              |           | L/300 | 2.519,42                                                 | 1.282,58 | 735,88   | 457,83 | 301,73 | 207,42 | 147,12 | 106,79 | 78,79  |
|              |           | L/400 | 1.885,79                                                 | 958,16   | 548,14   | 339,60 | 222,53 | 151,80 | 106,57 | 76,32  | 55,32  |
|              |           | L/500 | 1.505,62                                                 | 763,51   | 435,49   | 268,66 | 175,00 | 118,42 | 82,24  | 58,04  | 41,24  |

L/200 - PODRAZUMEVANI UGIB